


CVD

HOHE QUALITÄT



ISO 9001
Q-634



hofer


NEUES

MIKRODESIGN

WENDEPLATTE SORTE HFC-CVD




TNGX




	l	SD	d	r
TNGX 060201	6	0,8	4	0,125
TNGX 060202	6	0,8	4	0,250
TNGX 060205	6	0,8	4	0,500

VNGX




	l	SD	d	r
VNGX 070201	7	0,8	4	0,125
VNGX 070202	7	0,8	4	0,250
VNGX 070205	7	0,8	4	0,500

CCGX




	l	SD	d	r
CCGX 060202	5	0,5	4,0	0,2
CCGX 060204	5	0,5	4,0	0,4
CCGX 070202	6	0,5	5,2	0,2
CCGX 070204	6	0,5	5,2	0,4

TCGX




	l	SD	d	r
TCGX 060202	6	0,5	4,0	0,2
TCGX 060204	6	0,5	4,0	0,4
TCGX 070202	7	0,5	5,2	0,2
TCGX 070204	7	0,5	5,2	0,4

SCGX



	l	SD	d	r
SCGX 040202	4,0	0,5	4,0	0,2
SCGX 040204	4,0	0,5	4,0	0,4
SCGX 050202	5,2	0,5	5,2	0,2
SCGX 050204	5,2	0,5	5,2	0,4

DCGX



	l	SD	d	r
DCGX 050202	5	0,5	4,0	0,2
DCGX 050204	5	0,5	4,0	0,4
DCGX 060202	6	0,5	5,2	0,2
DCGX 060204	6	0,5	5,2	0,4


HALTER




SILVA




	L	D	d	a
A065052X STFC R/L	80	8	5,2	6,5
A06052X STFC R/L	80	8	5,2	6,0
A08507F STFC R/L	100	8	7,0	8,5
A08207F STFC R/L	100	8	7,0	8,2
A0807F STFC R/L	100	8	7,0	8,0




ABRICHTER 40°




	L	h	b
diaform	45,5	14	14
mk0	42	14	14
mk1	50	14	14
Ø10	50	14	14




ABRICHTER 60°




	L	h	b
diaform	45,5	14	14
mk0	42	14	14
mk1	50	14	14
Ø10	50	14	14




SDAC




	L	h	b
SDAC R/L 1208 F05	80	12	8
SDAC R/L 1208 F06	80	12	8
SDAC R/L 1610 H05	100	16	10
SDAC R/L 1610 H06	100	16	10



SSBC




	L	h	b
SSBC R/L 1208 F04	80	12	8
SSBC R/L 1208 F05	80	12	8
SSBC R/L 1610 H04	100	16	10
SSBC R/L 1610 H05	100	16	10



WENDEPLATTE SORTE HFC-CVD




CNMG




	l	d	r
CNMG 120404	12	12,7	0,4
CNMG 120408	12	12,7	0,8

DNMG



	l	d	r
DNMG 110404	11	9,52	0,4
DNMG 110408	11	9,52	0,8

WNMG



	l	d	r
WNMG 060404	6	9,52	0,4
WNMG 060408	6	9,52	0,8

KONTAKT



HOFER d.o.o.
Karlovačka 30
Klinča Sela
10450 Jastrebarsko
Kroatien

Telefon: 00385 (0) 1 6294 304
Fax: 00385 (0) 1 6279 831

E-mail: hofer@hofer.hr
www.hofer.hr